证明

CERTIFICATE

本证明之附件是向中国专利局作为受理局提交的下列国际申请副本
THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF THE BELOW
IDENTIFIED INTERNATIONAL APPLICATION THAT WAS FILED WITH THE
CHINESE PATENT OFFICE AS RECEIVING OFFICE

国际申请号:

PCT/CN03/00570

INTERNATIONAL APPLICATION NUMBER

国际申请日:

18 LUL 2003(18.07.03)

INTERNATILNAL FILING DATE

发明名称:

An Improved Method of Head Stack Assembly Flexible

TITLE OF INVENTION

Circuit Assembly Attached to an Actuator arm

申 请 人:

SAE MAGNETICE(H.K.)LTD

APPLICANT

中华人民共和国国家知识产权局局长 COMMISSIONER OF THE STATE INTELLECTUAL PROPERTY OFFECE OF THE PEOPLE'S REPUBLIC OF CHINA

支拿川

二零零三年七月十日 JULY 10, 2003



PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only					
International Application No.	PCT/CN 03/0 05 7 0				
International Filing Date	1 8 JUL 2713 (1 8. 0 7. U 3)				
RO/CN P	中华人民共和国国家知识产权局 PSF international Application				

(if desired) (12 characters maximum) FPEL03150023					
Box No. I TITLE OF INVENTION An Improved Method of Head Stack Assembly Flexible Circuit Assembly Attached to an Actuator Arm					
Box No. II APPLICANT This person	is also inventor	, ,, ,,			
Name and address: (Family name followed by given name; for a legal enti The address must include postal code and name of country. The country of it Box is the applicant's State (that is, country) of residence if no State of residence	ity, full official designation. ne address indicated in this ne is indicated below.)	Telephone No.	_		
SAE MAGNETICS (H. K.) LTD. SAE Tower,		Facsimile No.			
38-42 Kwai Fung Crescent Kwai Chung N. T.		Teleprinter No.			
Hong Kong Special Administrative Region, P. R. of China	2	Applicant's regis	stration No. with the Office		
State (that is, country) of nationality: CN	State (that is, country) CN	of residence:			
This person is applicant all designated all designated for the purposes of:		the United States of America only	the States indicated in the Supplemental Box		
Box No. III FURTHER APPLICANT(S) AND/OR (FURTE	ER) INVENTOR(S)				
Name and address: (Family name followed by given name; for a legal entity The address must include postal code and name of country. The country of the Box is the applican's State (that is, country) of residence if no State of residence if HO, Yiusing Flat B, 12/F, Block 1, Bayshore Towers Ma On Shan, Shatin, N. T., Hong Kong Special Administrative Region P. R. of China	e address indicated in this	inventor is marke	t and inventor only (If this check-bax d, do not fill in below.) tration No. with the Office		
State (that is, country) of nationality:	State (that is, country)	of residence:	•		
This person is applicant all designated all designated for the purposes of:		the United States of America only	the States indicated in the Supplemental Box		
X Further applicants and/or (further) inventors are indicated on	a continuation sheet.				
Box No. IV AGENT OR COMMON REPRESENTATIVE;	OR ADDRESS FOR	CORRESPONDI	ENCE .		
The person identified below is hereby/has been appointed to act or of the applicant(s) before the competent International Authorities a	behalf s:	Agent	common representative		
Name and address: (Family name followed by give it imme: for a legal entity The oddress must include postal code and name of court CHINA DATENT ACENT (HK) ITD	r, full official designation. intry.)	Telephone No. (852)28284	688		
CHINA PATENT AGENT (H.K.) LTD. 22/F, Great Eagle Centre	Facsimile No. (852)28271018				
23 Harbour Road, Wanchai Hong Kong Special Administrative Region	•	Teleprinter No.			
The People's Republic of China		Agent's registration	on No. with the Office		
Address for correspondence: Mark this check-box where no space above is used instead to indicate a special address to w	o agent or common repr hich correspondence sh	resentative is/has b lould be sent.	cen appointed and the		

Sheet	Nο		2	

and the second s	
Continuation of Box No. UI FURTHER APPLICANT(S) AND/OR (FURTHER) If none of the following sub-boxes is used, this sheet should not be included in the re	
IJ none of the following sub-boxes is used, this sheet should not be included in the re	уи ы .
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) FUKAYA Hiroshi c/o SAE Magnetics (H.K.) Ltd. SAE Tower 38-42 Kwai Fung Crescent, Kwai Chung, N. T.,	This person is: applicant only applicant and inventor inventor only (If this check-bax is marked, do not fill in below.)
	Applicant's registration No. with the Office
Hong Kong Special Administrative Region P. R. of China	
State (that is, country) of nationality: State (that is, country)	of residence:
This person is applicant all designated all designated States except the United States of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) YIP, Kamfung c/o SAE Magnetics (H.K.) Ltd. SAE Tower 38-42 Kwai Fung Crescent, Kwai Chung, N. T., Hong Kong Special Administrative Region P. R. of China	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality: State (that is, country)	of residence:
This person is applicant all designated all designated States except for the purposes of: all designated the United States of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Bax is the applicant's State (that is, country) of residence if no State of residence is indicated below.) YAMAGUCHI Satoshi c/o SAE Magnetics (H.K.) Ltd. SAE Tower 38-42 Kwai Fung Crescent, Kwai Chung, N.T., Hong Kong Special Administrative Region	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
P. R. of China	
State (that is, country) of nationality: State (that is, country)) of residence:
This person is applicant all designated all designated States except for the purposes of: all designated the United States except the United States of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full official derignation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) WANG, Jeffery L. HOUSE NO. 34, 18TH STREET HONG LOK YUEN, TAI PO, N.T., HONG KONG SPECIAL ADMINISTRATIVE REGION P. R. OF CHINA State (that is, country) of nationality: State (that is, country)	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office of residence:
This person is applicant and all designated and all designated Course	the Theired Crotes promp the Crotes indicated in
This person is applicant all designated all designated the United States except the United States of America	the United States of America only the Supplemental Box
Further applicants and/or (further) inventors are indicated on another continuation	sheet.

Box No. V DESIGNATION OF STA	ATES Mark the applicable check-boxes below	m; at least one must be marked.
The following designations are hereby n	made under Rule 4.9(a):	
Regional Patent	- •	
AP ARIPO Patent: GH Ghan	ia, GM Gambia, KE Kenya, LS Lesotho, M	
	nd, TZ United Republic of Tanzania, UG Uganda	
	State of the Harare Protocol and of the PCT (if o	
1		••
	nia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan ajikistan, TM Turkmenistan, and any other State	
Patent Convention and of the I		, which is a controduct and a me a management
BP European Patent: AT Austri:	ia, BE Belgium, BG Bulgaria, CH & LI Switzerla	and and Liechtenstein, CY Cyprus, CZ Czech
Republic, DE Germany, DK I	Denmark, EE Estonia, ES Spain, FI Finland, FI	R France, GB United Kingdom, GR Greece,
	taly, LU Luxembourg, MC Monaco, NL Netherla 3. Turkey, and any other State which is a Contract	
and of the PCT	. Turkey, and any order State which is a Conduct	ing State of the European Patent Convenion
	aso, BJ Benin, CF Central African Republic, C	G Congo, CI Côte d'Ivoire, CM Cameroon,
	Equatorial Guinea, GW Guinea-Bissau, ML M	
	other State which is a member State of OAPI and sired, specify on dotted line)	
1	ection or treatment desired, specify on dotted line):	
	HR Croatia	
DAC Assissed Perhada	THE Viscous	
AL Albania	D ID Indonesia	☐ PH Philippines
AM Amenia	Israel	
AT Austria	India	. PT Portugal
AU Australia		☐ RO Romania
AZ Azerbaijan	D JP Japan	. LI RU Russian Federation
BB Barbados	☐ KG Kyrgyzstan	SC Seychelles
	KP Democratic People's Republic	
☐ BR Brazil	of Korea	. SE Sweden
	KR Republic of Korea	
?	KZ Kazakhstan	
CA Canada CH & LI Switzerland and Liechtens	LC Saint Lucia	SL Sierra Leone
CN China		TJ Tajikistan
	D LS Lesotho	
☐ CR Costa Rica	DLT Lithuania	TN Tunisia
CU Cuba		☐ TR Turkey
CZ Czech Republic	LV Latvia MA Morocco	TT Trinidad and Tobago
	MA Morocco	
DM Dominica	•	. D UA Ukraine
DZ Algeria		
EC Ecuador	MK The former Yugoslav Republic of	US United States of America
EE Estonia	·	
ES Spain		UZ Uzbekistan
l <u> </u>	MWMalawi	_
☐ GB United Kingdom ☐ GD Grenada		. D YU Serbia and Montenegro
GE Georgia	D NI Nicaragua	☐ ZA South Africa
GH Ghana	_	☐ ZM Zambia
☐ GM Gambia	□ NZ New Zealand	. 🔲 ZW Zimbabwe
Check-hoves below received for designs	ating States which have become party to the PCT	ofter iconance of this sheet
	: In addition to the designations made above, th	
	nitted under the PCT except any designation(s)	
	t. The applicant declares that those additional desi	
	before the expiration of 15 months from the priori	
applicant at the expiration of that time his	nit. (Confirmation (including fees) must reach the r	ecerving Office within the 13-month time timit)

Supplemental Box If the Supplemental Box is not used, this sheet should not be included in the request.

- If in any of the Bases, except Bases Nas. VIII(i) to (v) for which a special continuation bax is provided, the space is insufficient to furnish all the information: in such case, write "Continuation of Bax No...." (indicate the number of the Bax) and furnish the information in the same manner as required according to the captions of the Bax in which the space was insufficient, in particular:
- (i) if more than two persons are to be indicated as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the upplicant's State (that is, country) of residence if no State of residence is indicated below;
- (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/nr, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;

(

- (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
- (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV:
- (v) if, in Bax No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
- (vi) if, in Box No. VI, there are more than five earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI.
- If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.

Coninuation of Box No. III

CHEN, Canhua
Winnerway Industrial Area
Nancheng, Dongguan City
Guangdong Province,
P. R. of China Zip Code: 511700

This person is inventor only

		Sheet No?		
Box No. VI PRIOR	ITY CLAIM			
The priority of the follo	wing earlier application(s) is here	by claimed:		
Filing date of earlier application	Number		Where earlier application	is:
(day/month/year)	of earlier application	national application: country or Member of WTO	regional application:*	international application
item (1)				• •
item (2)				
item (3)			·	
icui (3)				:
item (4)				
item (5)		-		
Further priority clair	ns are indicated in the Supplemen	atal Box.		·
above as: all items item * Where the earlier applice Industrial Property or one Box No. VII INTERNA Choice of International Sinternational search, indicated ISA / CN	equested to prepare and transmit to tas filed with the Office which for the cas filed with the Office which for the cas filed with the Office which for the case of the Case of the World Trade Organization, income the World Trade Organization of the World	item (3) item (ficate at least one country panization for which that each HORITY or more International Sector code may be used): t search (if an earlier search	(4) item (5) party to the Paris Conventual arriver application was filed arching Authorities are co	ceiving Office) identified other, see Supplemental Box tion for the Protection of d (Rule 4.10(b)(ii)):
Box No. VIII DECLARA	TONG			
The following declaration theck-boxes below and indi-	s are contained in Boxes Nos. VI cate in the right column the numbe	II (i) to (v) (mark the appo r of each type of declaration	licable on):	Number of declarations
Box No. VIII (i)	Declaration as to the identity o	f the inventor	•	
Box No. VIII (ii)	Declaration as to the applicant date, to apply for and be grant	t's entitlement, as at the in ed a patent	nternational filing	:
Box No. VIII (iii)	Declaration as to the applican date, to claim the priority of t	it's entitlement, as at the i he earlier application	international filing	
Box No. VIII (iv)	Declaration of inventorship (or United States of America)	nly for the purposes of the	e designation of the	
Box No. VIII (v)	Declaration as to non-prejudici	ial disclosures or exceptio	us to lack of novelty .	

Sheet	Na		6	

Box No. LX CHECK LIST; LANGUAGE OF FILING					
This international application contains: (a) in paper form, the following number of sheets:	right col	ernational application is accompanied by the following fract the applicable check-boxes below and indicate in fram the number of each item):	ng Number of items		
request (including declaration sheets) : 6		fee calculation sheet	: 1		
declaration sheets) : 6 description (excluding		original separate power of attorney	- : 1		
sequence listings and/or		original general power of attorney	:		
tables related thereto) : 5	4. 🗆	copy of general power of attorney; reference number	,		
claims : 4	I.	if any:	· • • • • • • • • • • • • • • • • • • •		
abstract : 1		statement explaining lack of signature	:		
drawings : 5 Sub-total number of sheets : 21	1	priority document(s) identified in Box No. VI as item(s):	:		
sequence listings : tables related thereto :	1	translation of international application into (language):			
(for both, actual number of	8. 🗆	separate indications concerning deposited microorga or other biological material	nism		
sheets if filed in paper form, whether or not also filed in computer readable form;	9. 🗆	sequence listings in computer readable form (indicate type and number of carriers)			
see (c) helow)	6) [copy submitted for the purposes of international se Rule 13ter only (and not as part of the international	arch under l application) :		
· Total number of sheets : 21 (b) □ only in computer readable form	(ii) [(only where check-box (b)(i) or (c)(i) is marked in left additional copies including, where applicable the	column)		
(Section 801(a)(i)) (i) ☐ sequence listings	Į.	purposes of international search under Rule 13ter 1 together with relevant statement as to the identity of	f the copy or		
(ii) tables related thereto	ł	copies with the sequence listings mentioned in left ables in computer readable form related to sequence li	column :		
(c) also in computer readable form (Section 801(a)(ii))	1 (indicate type and number of carriers)			
(i) ☐ sequence listings (ii) ☐ tables related thereto	(1) [copy submitted for the purposes of international se Section 802(b-quater) only (and not as part of the internation) 	arch under nternational		
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which are contained the	(ii) [(only where check-box (b)(ii) or (c)(ii) is marked in legadditional copies including, where applicable, the purposes of international search under Section 802. 	conv for the		
sequence listings:	(iii) [together with relevant statement as to the identity o			
tables related thereto:		copies with the tables mentioned in left column	:		
(odditional copies to be indicated under items 9(ii) and/or 10(ii), in right column)	11. 🔲 o	ther (specify):	:		
Figure of the drawings which should accompany the abstract:	internation	e of filing of the nal application:			
Box No. X SIGNATURE OF APPLICANT	r, agent	OR COMMON REPRESENTATIVE			
Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE Next to each signature, indicate the name the person signs (if such capacity is not obvious from reading the request).					
	- For rece	siving Office use only			
Date of actual receipt of the purported international application:		7 JUL 2003 (1 7. 0 7. 0 3)	2. Drawings:		
 Corrected date of actual receipt due to late, in timely received papers or drawings completin the purported international application: 	ut g	3 JUL 2063 (1 8. 07.03)	fig. 1 ~ C		
4. Date of timely receipt of the required corrections under PCT Article 11(2):			not received:		
5. International Searching Authority (if two or more are competent): ISA /	·	6. Transmittal of search copy delayed until search fee is paid	·		
For International Bureau use only					
Date of receipt of the record copy by the International Bureau:					


This sheet is not part of and does not count as a sheet of the international application.

For receiving Office use only FEE CALCULATION SHEET International Application No. Annex to the Request Applicant's or agent's file reference FPEL03150023 Date stamp of the receiving Office Applicant SAE MAGNETICS (H.K.) LTD. CALCULATION OF PRESCRIBED FEES **CNY500** T 1. TRANSMITTAL FEE . . CNY1500 S 2. SEARCH FEE International search to be carried out by (If two or more International Searching Authorities are competent to carry out the international search, indicate the name of the Authority which is chosen to carry out the international search.) 3. INTERNATIONAL FEE Where items (b) and/or (c) of Box No. IX apply, enter Sub-total number of sheets Where items (b) and (c) of Box No. IX do not apply, enter Total number of sheets b2 number of sheets in excess of 30 additional component (only if sequence listings and/or tables related thereto are filed in computer readable form under Section 801(a)(i), or both in that form and on paper, under Section 801(a)(ii)): 400 x **b3** fee per sheet В Add amounts entered at b1, b2 and b3 and enter total at B. Designation Fees The international application contains _ _ designations. **CHF140** CHF140 D number of designation fees amount of designation fee payable (maximum 5) CHF 790 Ιī Add amounts entered at B and D and enter total at I (Applicants from certain States are emitted to a reduction of 75% of the international fee. Where the applicant is (ar all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.) P 4. FEE FOR PRIORITY DOCUMENT (if applicable) CNY2000CHF790 5. TOTAL FEES PAYABLE . TOTAL Add amounts entered at T, S, I and P, and enter total in the TOTAL box The designation fees are not paid at this time. MCDE OF PAYMENT authorization w charge deposit account (see below) postal money order cash coupons bank draft revenue stamps other (specify): AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACCOUNT (This mode of payment may not be available at all receiving Offices) Receiving Office: RO/ Deposit Account No Authorization to charge the total fees indicated above. (This check-box may be marked only if the conditions for deposit accounts of the receiving Office so permit) Authorization to charge any deficiency or credit any overpayment in the total fees indicated above. Date: Name: Authorization to charge the fee for priority document.

Signature:

calculation sheet

Form PCT/RO/101 (Annex) (January 2003; reprint July 2003)



10

15

20

25

An Improved Method of Head Stack Assembly Flexible Circuit Assembly Attached to an Actuator Arm

Background Information

5 [0001] The present invention relates to magnetic hard disk drives. More specifically, the present invention relates to a method of assembling actuator driving mechanisms.

[0002] In the art today, different methods are utilized to improve recording density of hard disk drives. Figure 1 provides an illustration of a typical disk drive. The typical disk drive has a head gimbal assembly (HGA) configured to read from and write to a magnetic hard disk 101. The HGA and the magnetic hard disk 101 are mounted to the base 102 of a main board 103. The disk 101 is rotated relative to the base 102 by a spindle motor 104. The HGA typically includes an actuator arm 105 and a load beam 106. The HGA supports and positions a magnetic read/write slider 107 above the magnetic hard disk 101. The slider may contain transducers to perform the read/write function. The HGA is rotated relative to the base 102 along the axis of a pivot bearing assembly 108 by an actuator frame 109. The actuator frame 109 contains an actuator coil 110 driven by a magnet 111. A relay flexible printed circuit 112 connects a board unit 113 to the transducer of the magnetic read/write slider 107. The signal from the transducer is amplified by the preamplifier 114 before being transmitted along the relay flexible printed circuit. The relay flexible printed circuit 112 may be attached by pin soldering. However, the "flux" that is essential for this pin soldering causes a couple of problems. First, the cleaning process must be immediately implemented to remove the flux with soldering. Next, the tin contained in the solder causes pollution of the contacts.

Brief Description Of The Drawings

1

[0004] Figure 1 provides an illustration of a typical disk drive.

[0005] Figure 2 provides an illustration of one embodiment of a head stack assembly with a flexible circuit substrate.

5 [0006] Figure 3 provides a cross-section illustration of one embodiment of the mounting of the flexible circuit substrate on the actuator arm.

[0007] Figure 4 provides an illustration of an alternate embodiment of a head stack assembly with a flexible circuit substrate.

[0008] Figure 5 provides a cross-section illustration of the alternate embodiment

10 of the mounting of the flexible circuit substrate on the actuator arm.

Detailed Description

10

15

20

25

í

[0009] A method for mounting a head stack assembly (HSA) circuit assembly is disclosed. In one embodiment, a flexible circuit substrate may be coupled to a stiffener. The stiffener may be a metal, such as aluminum, or some other stiff and durable material. The flexible circuit substrate may be made of an organic material and may have a series of electronic leads embedded in the flexible circuit substrate. The flexible substrate may be coupled to the stiffener by an adhesive or laminated onto the stiffener. The stiffener may be mounted onto the actuator arm by soldering or by laser welding.

Figure 2 provides an illustration of one embodiment of a head stack [0010] assembly with a flexible circuit substrate 201. A plurality of head gimbal assemblies may be coupled to the pivot bearing assembly 108. A suspension flexible circuit trace 202 may be attached to each load beam 106 and actuator arm 105, and may run from a transducer of each slider 107 to a single flexible circuit substrate 201. The flexible circuit substrate 201 may be made from an organic material. The actuator arm may be made of aluminum and manufactured by machining. The flexible circuit substrate 201 may be a substrate with a number of bond pads and a preamplifier chip 114 for signal processing. Each set of bond pads may be associated with a suspension flexible circuit trace 202. One or more leads running from the bond pads to the preamplifier 114 may be embedded in the flexible circuit substrate 201. The suspension flexible circuit trace 202 may be placed over these bonding pads on the flexible circuit substrate 201 to be electrically coupled to the flexible circuit substrate 201. To accomplish this, the termination pad of suspension flexible circuit trace 202 may be bonded to the corresponding bond pad on the flexible circuit substrate 201. For example, soldering or ultrasonic bonding may be used to connect the suspension flexible circuit trace 202 to the bond pads on the flexible circuit substrate 201 for a head stack assembly (HSA). One or more location pins 203 may be used to solder the flexible circuit substrate 201 in The location pins 203 would extend from the actuator arm 105 up through place.

the flexible circuit substrate 201. The flexible circuit substrate 201 may be connected to a control circuit 112 by a flexible circuit assembly 111. In addition to controlling the read/write functions of the transducer of the slider 107, the control circuit 112 may also control the movement of the actuator frame 109.

5

10

15

20

25

Figure 3 provides a cross-section illustration of one embodiment of the [0011] mounting of the flexible circuit substrate 201 on the actuator arm 105. The flexible circuit substrate 201 may be coupled to a stiffener 301 that facillitates mounting the flexible circuit substrate 201 to the actuator arm 105. The stiffener 301 may be made of aluminum, or some other durable material or metal. The flexible circuit substrate 201 may be coupled to the stiffener 301 using an adhesive, such as an The preamplifier 114 and the suspension flexible circuit trace 202 bond pads 302 may be coupled to the flexible circuit substrate 201. One or more location pins 203 may extend up from the actuator arm 105 through the stiffener 301 and the flexible circuit substrate 201. The location pins 203 may be made from metal and mounted on the actuator arm 105 by press-fitting. The stiffener 301 and the flexible circuit substrate 201 may be then coupled to the location pins 203 by applying a solder ball 303 and soldering the stiffener 301 and flexible circuit substrate 201 in place.

[0012] Figure 4 provides an illustration of an alternate embodiment of a head stack assembly with a flexible circuit substrate 201. In this embodiment, the flexible circuit substrate 201 and stiffener 301 may be mounted on the actuator arm 105 using laser welding. The stiffener 301 may be laser welded to the actuator arm 105 at one or more points 601.

[0013] Figure 5 provides a cross-section illustration of the alternate embodiment of the mounting of the flexible circuit substrate 201 on the actuator arm 105. The flexible circuit substrate 201 and the stiffener 301 may be preliminarily combined with an adhesive and forms a lamination structure. Electrical elements 501 and bonding pads 302 may be added to the flexible circuit substrate 201 during the lamination process. The HSA circuit assembly may be aligned and then fixated

onto the plane of an actuator arm. One laser beam may be applied to the metal stiffener for a predetermined period of time to make the specific welding spot 401 between the stiffener 301 and flexible circuit substrate 201. The welding spots 401 may be produced by melting the metal stiffener 301 and actuator arm 105 by some means of concentrated heat energy, producing a fairly clean, non-contaminated connection. Good reliability and high bonding strength is achieved with this mounting operation, probably requiring no further cleaning. The welding spots 401 may be arranged on the metal stiffener 301 according to the needs and structure of specific HSA.

10 [0014] Although several embodiments are specifically illustrated and described herein, it will be appreciated that modifications and variations of the present invention are covered by the above teachings and within the purview of the appended claims without departing from the spirit and intended scope of the invention.

?

What is claimed is

5

10

15

20

1

- 1. A head stack assembly (HSA) circuit assembly, comprising:
 - at least one actuator pad to be electrically coupled to a printed circuit board;
- a flexible circuit substrate to electrically couple a slider to the at least one actuator pad; and
- a stiffener to be mounted between the flexible circuit substrate and an actuator arm.
- 2. The HSA circuit assembly of claim 1, wherein the stiffener is made of aluminum.
- 3. The HSA circuit assembly of claim 1, wherein the flexible circuit substrate is made of an organic material.
- 4. The HSA circuit assembly of claim 3, wherein the flexible circuit substrate has at least one embedded lead connecting the slider to the at least one actuator pad.
- 5. The HSA circuit assembly of claim 1, wherein the flexible circuit substrate is coupled to the stiffener with an adhesive.
 - 6. The HSA circuit assembly of claim 1, wherein the stiffener is mounted to the actuator by soldering at least one pin extending from the actuator arm through the stiffener and the flexible substrate.
 - 7. The flexible circuit assembly of claim 1, wherein the stiffener is mounted to the actuator by laser welding the stiffener to the actuator arm.
- A head stack assembly, comprising:
 an actuator arm to place a slider above a magnetic storage medium;

- a printed circuit board to control the slider and the actuator arm; and
- a flexible circuit assembly, including:

(

5

20

- at least one actuator pads to be electrically coupled to a printed circuit board;
- a flexible circuit substrate to electrically couple a slider to the at least one actuator pad; and
- a stiffener to be mounted between the flexible circuit substrate and an actuator arm.
- 9. The head stack assembly of claim 8, wherein the stiffener is made of aluminum.
- 10. The head stack assembly of claim 8, wherein the flexible circuit substrate is made of an organic material.
- 11. The head stack assembly of claim 10, wherein the flexible circuit substrate has at least one embedded lead connecting the slider to the at least one actuator pad.
 - 12. The head stack assembly of claim 8, wherein the flexible circuit substrate is coupled to the stiffener with an adhesive.
- 13. The head stack assembly of claim 8, further comprising at least one pin extending from the actuator arm through the stiffener to be soldered to the stiffener.
 - 14. The head stack assembly of claim 8, wherein the stiffener is mounted to the actuator by laser welding the stiffener to the actuator arm.
 - 15. A hard disk drive, comprising:
 - a magnetic storage medium to store data;
 - a base to support the magnetic storage medium;
 - an actuator arm to place a slider above a magnetic storage medium;

- a pivot to move the actuator arm in relation to the magnetic storage medium;
- a printed circuit board to control the slider and the actuator arm; and
- a flexible circuit assembly, including:
- at least one actuator pad to be electrically coupled to a printed circuit board;
- a flexible circuit substrate to electrically couple a slider to the at least one actuator pad; and
- a stiffener to be mounted between the flexible circuit substrate and an actuator arm.
- 16. The hard disk drive of claim 15, wherein the stiffener is made of aluminum.
- 17. The hard disk drive of claim 15, wherein the flexible circuit substrate is made of an organic material.
- 18. The hard disk drive of claim 17, wherein the flexible circuit substrate has at least one embedded lead connecting the slider to the at least one actuator pad.
 - 19. The hard disk drive of claim 15, wherein the flexible circuit substrate is coupled to the stiffener with an adhesive.
- 15 20. The hard disk drive of claim 15, further comprising at least one pin extending from the actuator arm through the stiffener to be soldered to the stiffener.
 - 21. The hard disk drive of claim 15, wherein the stiffener is mounted to the actuator by laser welding the stiffener to the actuator arm.
 - 22. A method, comprising:

1

1

20

5

electrically coupling a slider to at least one actuator pad with a flexible circuit substrate; and

mounting the flexible circuit substrate to an actuator arm with a stiffener between the flexible circuit substrate and the actuator arm.

23. The method of claim 22, wherein the stiffener is made of aluminum.

5

10

- 24. The method of claim 22, wherein the flexible circuit substrate is made of an organic material.
- 25. The method of claim 24, wherein the flexible circuit substrate has at least one embedded lead connecting the slider to the at least one actuator pad.
- 26. The method of claim 22, further comprising coupling the flexible circuit substrate to the stiffener with an adhesive.
- 15 27. The method of claim 22, further comprising mounting the stiffener to the actuator by soldering at least one pin extending from the actuator arm through the stiffener and the flexible substrate.
- 28. The method of claim 22, further comprising mounting the stiffener to the actuator by laser welding the stiffener to the actuator arm.


Abstract

5

10

A method for mounting a head stack assembly (HSA) circuit assembly is disclosed. A flexible circuit substrate may be coupled to a stiffener. The stiffener may be a metal, such as aluminum, or some other stiff and durable material. The flexible circuit substrate may be made of an organic material and may have a series of electronic leads embedded in the flexible circuit substrate. The flexible substrate may be coupled to the stiffener by an adhesive or laminated onto the stiffener. The stiffener may be mounted onto the actuator arm by soldering or by laser welding.





(Č

Figure 1 (Prior Art)




Figure 2




Figure 3

